

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE01</i>	<i>WW</i>							
	2/28/2009	48,649	36.7			1,327.2	0.0	
	3/31/2009	47,991	66.8	658	19.7	718.8	30.1	0.7
	4/30/2009	47,865	142.2	126	38.3	336.5	75.5	0.5
	5/31/2009	47,788	246.0	77	80.6	194.3	103.7	0.8
	6/30/2009	47,741	387.2	47	105.0	123.3	141.2	0.7
	7/31/2009	46,294	709.0	1,447	251.8	65.3	321.9	0.8
	8/31/2009	46,274	1,097.2	20	333.6	42.2	388.2	0.9
	9/30/2009	46,209	1,117.1	65	160.4	41.4	20.0	8.0
	10/31/2009	46,917	1,324.5	58	184.5	35.4	207.4	0.9
	11/30/2009	46,850	1,537.0	67	119.9	30.5	212.5	0.6
	12/31/2009	46,816	1,480.5	34	19.7	31.6	-56.4	
	1/31/2010	46,813	1,480.4	3	3.0	31.6	-0.1	
ESJ01	1/31/2010	46,792	1,529.2	21	52.0	30.6	48.7	1.1
ESJ01	2/28/2010	46,781	1,622.0	11	111.0	28.8	92.8	1.2
ESJ01	3/31/2010	46,716	1,868.6	65	199.7	25.0	246.7	0.8
Total		46,716	1,868.6	2,699	1,679.2	25.0	1,832.0	1.4
<i>CLE02</i>	<i>WW</i>							
	2/28/2009	48,805	37.4			1,305.7	0.0	
	3/31/2009	48,353	67.2	452	19.7	719.8	29.8	0.7
	4/30/2009	48,245	145.7	108	38.3	331.0	78.6	0.5
	5/31/2009	48,194	264.8	51	80.6	182.0	119.1	0.7
	6/30/2009	48,128	390.4	66	105.0	123.3	125.6	0.8
	7/31/2009	46,507	696.8	1,621	271.9	66.7	306.4	0.9
	8/31/2009	46,496	1,126.7	11	411.0	41.3	429.9	1.0
	9/30/2009	46,438	1,080.3	58	209.0	43.0	-46.4	
	10/31/2009	47,576	1,357.6	93	218.7	35.0	277.3	0.8
	11/30/2009	47,544	1,520.7	32	161.5	31.3	163.2	1.0
	12/31/2009	47,524	1,567.9	20	42.2	30.3	47.2	0.9
	1/31/2010	47,523	1,567.9	1	6.0	30.3	0.0	
ESJ02	1/31/2010	47,502	1,506.5	21	52.0	31.5	-61.4	
ESJ02	2/28/2010	47,490	1,633.5	12	111.0	29.1	127.0	0.9
ESJ02	3/31/2010	47,414	1,899.9	76	198.9	25.0	266.3	0.7
Total		94,130	3,768.5	2,622	1,925.8	25.0	1,862.5	0.8

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE03</i>	<i>WW</i>							
	2/28/2009	46,724	35.7			1,307.5	0.0	
	3/31/2009	46,196	62.8	528	19.7	735.3	27.1	0.7
	4/30/2009	46,019	136.2	177	38.3	337.9	73.4	0.5
	5/31/2009	45,925	229.6	94	80.6	200.0	93.4	0.9
	6/30/2009	45,870	385.2	55	105.0	119.1	155.6	0.7
	7/31/2009	45,848	681.4	22	258.9	67.3	296.2	0.9
	8/31/2009	45,832	1,070.4	16	400.5	42.8	389.0	1.0
	9/30/2009	45,797	1,026.8	35	199.0	44.6	-43.7	
	10/31/2009	46,099	1,367.7	50	227.1	33.7	340.9	0.7
	11/30/2009	46,066	1,514.2	33	154.5	30.4	146.6	1.1
	12/31/2009	46,048	1,481.4	18	42.2	31.1	-32.8	
	1/31/2010	46,042	1,481.2	6	6.0	31.1	-0.2	
CFJ03	1/31/2010	46,018	1,490.1	24	44.5	30.9	8.9	5.0
CFJ03	2/28/2010	46,005	1,603.4	13	117.5	28.7	113.3	1.0
CFJ03	3/31/2010	45,931	2,046.4	74	267.2	22.4	443.0	0.6
Total		140,061	5,814.9	1,145	1,961.0	24.1	2,010.7	1.2
<i>CLE04</i>	<i>WW</i>							
	2/28/2009	46,954	33.0			1,421.6	0.0	
	3/31/2009	46,517	63.4	437	19.7	733.2	30.4	0.6
	4/30/2009	46,196	130.2	321	38.3	354.7	66.8	0.6
	5/31/2009	46,031	250.2	165	80.6	184.0	120.0	0.7
	6/30/2009	45,994	361.0	37	105.0	127.4	110.8	0.9
	7/31/2009	45,973	677.3	21	258.9	67.9	316.4	0.8
	8/31/2009	45,936	981.4	37	402.7	46.8	304.1	1.3
	9/30/2009	45,381	1,001.7	555	291.5	45.3	20.3	14.4
	10/31/2009	44,464	1,427.4	28	250.4	31.2	425.6	0.6
	11/30/2009	44,423	1,412.5	41	98.0	31.4	-14.9	
	12/31/2009	44,394	1,411.4	29	46.7	31.5	-1.1	
	1/31/2010	44,390	1,411.3	4	6.0	31.5	-0.1	
CFJ04	1/31/2010	44,360	1,351.3	30	44.5	32.8	-60.0	
CFJ04	2/28/2010	44,342	1,539.9	18	117.5	28.8	188.6	0.6
CFJ04	3/31/2010	44,271	2,053.8	71	261.0	21.6	514.0	0.5
Total		184,332	7,868.7	1,794	2,020.8	23.4	2,020.8	2.1

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE05</i>	<i>WW</i>							
	2/28/2009	52,155	36.9			1,414.3	0.0	
	3/31/2009	51,676	69.1	479	19.7	748.2	32.2	0.6
	4/30/2009	51,443	137.6	233	38.3	373.7	68.6	0.6
	5/31/2009	51,372	281.2	71	80.6	182.7	143.6	0.6
	6/30/2009	51,282	401.1	90	105.0	127.9	119.8	0.9
	7/31/2009	46,509	659.1	4,773	287.5	70.6	258.0	1.1
	8/31/2009	46,487	1,086.7	22	421.4	42.8	427.6	1.0
	9/30/2009	46,444	1,083.1	43	208.5	42.9	-3.6	
	10/31/2009	48,118	1,562.5	66	373.1	30.8	479.3	0.8
	11/30/2009	48,081	1,550.2	37	83.6	31.0	-12.3	
	12/31/2009	48,062	1,553.6	19	37.7	30.9	3.4	11.1
	1/31/2010	48,050	1,620.4	12	52.0	29.7	66.8	0.8
JCJ05	1/31/2010	48,047	1,620.3			29.7	-0.1	
JCJ05	2/28/2010	48,010	1,751.7	37	81.0	27.4	131.4	0.6
JCJ05	3/31/2010	47,937	1,923.7	73	120.0	24.9	172.0	0.7
Total		232,269	9,792.4	5,955	1,908.4	23.7	1,886.8	1.7
<i>CLE06</i>	<i>WW</i>							
	2/28/2009	52,298	37.1			1,411.5	0.0	
	3/31/2009	51,733	65.9	565	19.7	785.3	28.8	0.7
	4/30/2009	51,491	144.7	242	38.3	355.7	78.9	0.5
	5/31/2009	51,392	269.1	99	80.6	191.0	124.4	0.6
	6/30/2009	51,318	396.6	74	105.0	129.4	127.5	0.8
	7/31/2009	46,490	687.4	4,828	287.5	67.6	290.8	1.0
	8/31/2009	46,470	1,118.4	20	414.8	41.5	431.1	1.0
	9/30/2009	46,413	1,173.7	57	197.4	39.5	55.2	3.6
	10/31/2009	45,708	1,579.9	62	298.0	28.9	406.3	0.7
	11/30/2009	45,688	1,566.9	20	156.3	29.2	-13.0	
	12/31/2009	45,579	1,485.4	109	40.7	30.7	-81.5	
	1/31/2010	45,565	1,577.4	14	51.0	28.9	92.0	0.6
JCJ06	1/31/2010	45,562	1,577.3			28.9	-0.1	
JCJ06	2/28/2010	45,539	1,640.6	23	80.0	27.8	63.4	1.3
JCJ06	3/31/2010	45,466	1,847.1	73	120.0	24.6	206.4	0.6
Total		277,735	11,639.5	6,186	1,889.3	23.9	1,810.0	1.0

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE07</i>	<i>WW</i>							
	2/28/2009	47,696	35.8			1,330.7	0.0	
	3/31/2009	47,190	63.2	506	19.7	746.8	27.3	0.7
	4/30/2009	47,024	139.0	166	38.3	338.2	75.9	0.5
	5/31/2009	46,999	255.8	25	80.6	183.7	116.8	0.7
	6/30/2009	46,916	366.5	83	105.0	128.0	110.7	0.9
	7/31/2009	46,461	652.4	455	266.7	71.2	285.9	0.9
	8/31/2009	46,447	1,059.1	14	397.4	43.9	406.6	1.0
	9/30/2009	46,385	1,066.7	62	212.4	43.5	7.6	27.8
	10/31/2009	50,468	1,383.8	57	315.4	36.5	317.1	1.0
	11/30/2009	50,440	1,635.9	28	137.5	30.8	252.1	0.5
	12/31/2009	50,413	1,554.3	27	45.5	32.4	-81.6	
	1/31/2010	50,407	1,554.1	6	6.0	32.4	-0.2	
ESJ05	1/31/2010	50,374	1,756.0	33	52.0	28.7	201.9	0.3
ESJ05	2/28/2010	50,369	1,792.2	5	111.0	28.1	36.2	3.1
ESJ05	3/31/2010	50,299	2,127.3	70	194.3	23.6	335.2	0.6
Total		328,034	13,766.8	1,537	1,981.8	23.8	2,091.5	3.2
<i>CLE08</i>	<i>WW</i>							
	2/28/2009	47,651	34.7			1,373.3	0.0	
	3/31/2009	47,098	65.4	553	19.7	719.9	30.7	0.6
	4/30/2009	46,887	128.6	211	38.3	364.7	63.1	0.6
	5/31/2009	46,766	255.6	121	80.6	183.0	127.1	0.6
	6/30/2009	46,683	359.3	83	105.0	129.9	103.7	1.0
	7/31/2009	46,470	651.2	213	264.1	71.4	291.9	0.9
	8/31/2009	46,423	1,023.6	47	415.5	45.4	372.4	1.1
	9/30/2009	45,499	1,031.9	924	292.9	44.1	8.3	35.2
	10/31/2009	49,611	1,469.2	24	302.0	33.8	437.3	0.7
	11/30/2009	49,570	1,604.5	41	174.0	30.9	135.3	1.3
	12/31/2009	49,549	1,534.4	21	48.8	32.3	-70.1	
	1/31/2010	49,540	1,534.1	9	6.0	32.3	-0.3	
ESJ06	1/31/2010	49,501	1,572.8	39	52.0	31.5	38.6	1.3
ESJ06	2/28/2010	49,491	1,939.8	10	111.0	25.5	367.0	0.3
ESJ06	3/31/2010	49,419	2,125.5	72	200.5	23.3	185.8	1.1
Total		377,453	15,892.4	2,368	2,110.4	23.8	2,090.9	3.7

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE09</i>	<i>HH</i>							
	2/28/2009	53,303	38.9			1,371.9	0.0	
	3/31/2009	52,685	70.8	618	19.7	744.1	32.0	0.6
	4/30/2009	52,480	145.5	205	38.3	360.8	74.7	0.5
	5/31/2009	52,352	277.6	128	80.6	188.6	132.2	0.6
	6/30/2009	52,237	399.7	115	105.0	130.7	122.1	0.9
	7/31/2009	46,489	678.4	5,748	292.7	68.5	278.7	1.1
	8/31/2009	46,473	1,089.0	16	406.8	42.7	410.6	1.0
	9/30/2009	46,366	1,048.0	107	211.8	44.2	-41.0	
	10/31/2009	49,169	1,575.0	55	347.0	31.2	527.0	0.7
	11/30/2009	49,138	1,675.0	31	166.7	29.3	99.9	1.7
	12/31/2009	49,128	1,667.8	10	40.1	29.5	-7.2	
	1/31/2010	49,120	1,667.5	8	6.0	29.5	-0.3	
CFJ05	1/31/2010	49,100	1,631.0	20	39.5	30.1	-36.5	
CFJ05	2/28/2010	49,075	1,768.0	25	117.5	27.8	137.0	0.9
CFJ05	3/31/2010	48,942	2,306.3	133	270.4	21.2	538.2	0.5
Total		426,395	18,198.6	7,219	2,142.1	23.4	2,267.4	0.8
<i>CLE10</i>	<i>HH</i>							
	2/28/2009	53,417	40.6			1,314.5	0.0	
	3/31/2009	52,938	71.4	479	19.7	741.5	30.8	0.6
	4/30/2009	52,707	140.8	231	38.3	374.2	69.4	0.6
	5/31/2009	52,579	272.1	128	80.6	193.3	131.2	0.6
	6/30/2009	52,493	390.9	86	105.0	134.3	118.8	0.9
	7/31/2009	46,467	688.7	6,026	292.7	67.5	297.9	1.0
	8/31/2009	46,451	1,096.5	16	418.2	42.4	407.8	1.0
	9/30/2009	46,369	1,090.1	82	205.5	42.5	-6.5	
	10/31/2009	46,331	1,558.0	38	324.6	29.7	467.9	0.7
	11/30/2009	48,493	1,452.0	57	207.9	33.4	-106.0	
	12/31/2009	48,453	1,635.3	40	38.1	29.6	183.3	0.2
	1/31/2010	48,448	1,635.1	5	6.0	29.6	-0.2	
CFJ06	1/31/2010	48,413	1,662.7	35	39.5	29.1	27.5	1.4
CFJ06	2/28/2010	48,389	1,851.2	24	117.5	26.1	188.6	0.6
CFJ06	3/31/2010	48,254	2,307.8	135	267.8	20.9	456.6	0.6
Total		474,649	20,506.4	7,382	2,161.4	23.1	2,267.2	0.7

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE11</i>	<i>WW</i>							
	2/28/2009	47,821	34.6			1,380.8	0.0	
	3/31/2009	47,352	66.5	469	19.7	712.1	31.9	0.6
	4/30/2009	47,121	143.9	231	38.3	327.5	77.4	0.5
	5/31/2009	47,033	265.6	88	80.6	177.1	121.7	0.7
	6/30/2009	46,937	390.6	96	105.0	120.2	125.1	0.8
	7/31/2009	46,504	696.0	433	266.7	66.8	305.4	0.9
	8/31/2009	46,489	1,170.4	15	405.4	39.7	474.3	0.9
	9/30/2009	46,450	1,097.0	39	202.0	42.3	-73.4	
	10/31/2009	46,389	1,450.2	61	265.0	32.0	353.2	0.8
	11/30/2009	46,583	1,617.8	18	205.8	28.8	167.6	1.2
	12/31/2009	46,543	1,476.8	40	40.0	31.5	-141.1	
	1/31/2010	46,525	1,598.7	18	52.0	29.1	122.0	0.4
JCJ01	1/31/2010	46,520	1,598.5			29.1	-0.2	
JCJ01	2/28/2010	46,488	1,712.7	32	79.0	27.1	114.2	0.7
JCJ01	3/31/2010	46,417	1,879.2	71	120.0	24.7	166.5	0.7
Total		521,066	22,385.6	1,611	1,879.5	23.3	1,844.5	0.7
<i>CLE12</i>	<i>WW</i>							
	2/28/2009	47,990	34.7			1,384.0	0.0	
	3/31/2009	47,495	65.5	495	19.7	725.5	30.8	0.6
	4/30/2009	47,227	138.1	268	38.3	341.9	72.7	0.5
	5/31/2009	47,124	270.2	103	80.6	174.4	132.1	0.6
	6/30/2009	47,053	396.9	71	105.0	118.5	126.7	0.8
	7/31/2009	46,460	715.8	593	266.7	64.9	318.9	0.8
	8/31/2009	46,439	1,077.5	21	398.8	43.1	361.7	1.1
	9/30/2009	46,398	1,125.8	41	206.6	41.2	48.3	4.3
	10/31/2009	46,327	1,458.4	71	278.8	31.8	332.5	0.8
	11/30/2009	47,086	1,594.1	29	199.5	29.5	135.8	1.5
	12/31/2009	47,023	1,542.2	63	33.9	30.5	-51.9	
	1/31/2010	47,005	1,612.1	18	52.0	29.2	69.8	0.7
JCJ02	1/31/2010	46,997	1,611.8			29.2	-0.3	
JCJ02	2/28/2010	46,928	1,652.6	69	79.0	28.4	40.8	1.9
JCJ02	3/31/2010	46,856	1,874.2	72	120.0	25.0	221.6	0.5
Total		567,922	24,259.8	1,914	1,878.9	23.4	1,839.6	1.2

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE13</i>	<i>WW</i>							
	2/28/2009	51,467	38.7			1,330.5	0.0	
	3/31/2009	50,925	69.8	542	19.7	729.2	31.2	0.6
	4/30/2009	50,704	140.4	221	38.3	361.2	70.5	0.5
	5/31/2009	50,617	264.5	87	80.6	191.4	124.1	0.6
	6/30/2009	50,546	382.6	71	105.0	132.1	118.1	0.9
	7/31/2009	46,480	679.3	4,066	282.3	68.4	296.7	1.0
	8/31/2009	46,455	1,095.8	25	415.2	42.4	416.5	1.0
	9/30/2009	46,375	1,045.5	80	199.7	44.4	-50.2	
	10/31/2009	46,323	1,425.0	52	261.3	32.5	379.4	0.7
	11/30/2009	47,518	1,464.3	31	166.0	32.5	39.3	4.2
	12/31/2009	47,445	1,446.7	73	43.3	32.8	-17.6	
	1/31/2010	47,428	1,446.2	17	6.0	32.8	-0.5	
ESJ03	1/31/2010	47,399	1,553.8	29	52.0	30.5	107.6	0.5
ESJ03	2/28/2010	47,389	1,562.8	10	111.0	30.3	9.0	12.3
ESJ03	3/31/2010	47,317	1,996.7	72	198.5	23.7	433.9	0.5
Total		615,239	26,256.6	5,376	1,978.9	23.4	1,958.0	2.1
<i>CLE14</i>	<i>WW</i>							
	2/28/2009	51,530	39.7			1,299.4	0.0	
	3/31/2009	50,960	71.5	570	19.7	713.1	31.8	0.6
	4/30/2009	50,756	138.3	204	38.3	367.1	66.8	0.6
	5/31/2009	50,666	271.6	90	80.6	186.5	133.4	0.6
	6/30/2009	50,579	400.8	87	105.0	126.2	129.2	0.8
	7/31/2009	46,507	680.9	4,072	284.9	68.3	280.1	1.0
	8/31/2009	46,490	1,048.3	17	416.1	44.3	367.4	1.1
	9/30/2009	46,390	1,037.9	100	205.1	44.7	-10.4	
	10/31/2009	46,879	1,454.3	40	305.8	32.2	416.4	0.7
	11/30/2009	46,856	1,532.2	23	177.6	30.6	77.9	2.3
	12/31/2009	46,836	1,482.9	20	46.7	31.6	-49.4	
	1/31/2010	46,810	1,482.1	26	6.0	31.6	-0.8	
ESJ04	1/31/2010	46,774	1,592.7	36	52.0	29.4	110.6	0.5
ESJ04	2/28/2010	46,771	1,624.0	3	111.0	28.8	31.3	3.5
ESJ04	3/31/2010	46,706	1,842.8	65	198.9	25.3	218.8	0.9
Total		661,945	28,099.4	5,353	2,047.7	23.6	1,803.2	1.2

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE15 WW</i>								
	2/28/2009	51,754	37.1			1,393.7	0.0	
	3/31/2009	51,196	69.8	558	19.7	733.2	32.7	0.6
	4/30/2009	51,017	148.4	179	38.3	343.7	78.6	0.5
	5/31/2009	50,934	271.6	83	80.6	187.5	123.2	0.7
	6/30/2009	50,846	395.7	88	105.0	128.5	124.0	0.8
	7/31/2009	46,518	693.0	4,328	284.9	67.1	297.4	1.0
	8/31/2009	46,503	1,103.5	15	415.6	42.1	410.4	1.0
	9/30/2009	46,466	1,076.2	37	197.0	43.2	-27.2	
	10/31/2009	47,169	1,487.1	109	365.9	31.7	410.9	0.9
	11/30/2009	47,114	1,587.7	55	160.4	29.7	100.6	1.6
	12/31/2009	47,070	1,450.9	44	43.1	32.4	-136.7	
	1/31/2010	47,062	1,450.7	8	6.0	32.4	-0.2	
CFJ01	1/31/2010	47,010	1,567.0	52	39.5	30.0	116.3	0.3
CFJ01	2/28/2010	46,975	1,682.2	35	117.5	27.9	115.2	1.0
CFJ01	3/31/2010	46,893	2,215.3	82	268.4	21.2	533.1	0.5
Total		708,838	30,314.7	5,673	2,141.9	23.4	2,178.2	0.8
<i>CLE16 WW</i>								
	2/28/2009	51,807	37.3			1,390.4	0.0	
	3/31/2009	51,038	69.7	769	19.7	732.5	32.4	0.6
	4/30/2009	50,810	155.0	228	38.3	327.9	85.3	0.4
	5/31/2009	50,747	278.5	63	80.6	182.2	123.5	0.7
	6/30/2009	50,642	395.3	105	105.0	128.1	116.8	0.9
	7/31/2009	46,509	660.5	4,133	229.7	70.4	265.1	0.9
	8/31/2009	46,493	1,071.8	16	405.2	43.4	411.3	1.0
	9/30/2009	46,432	1,075.3	61	199.4	43.2	3.5	56.8
	10/31/2009	46,149	1,458.9	87	315.1	31.6	383.7	0.8
	11/30/2009	46,123	1,479.6	26	91.9	31.2	20.7	4.4
	12/31/2009	46,106	1,390.6	17	40.7	33.2	-89.0	
	1/31/2010	46,103	1,390.5	3	6.0	33.2	-0.1	
CFJ02	1/31/2010	46,059	1,459.7	44	39.5	31.6	69.2	0.6
CFJ02	2/28/2010	46,039	1,612.1	20	117.5	28.6	152.4	0.8
CFJ02	3/31/2010	45,962	2,063.6	77	263.6	22.3	451.5	0.6
Total		754,800	32,378.3	5,649	1,952.2	23.3	2,026.3	5.7

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>CLE17 WW</i>								
	2/28/2009	50,030	37.7			1,328.8	0.0	
	3/31/2009	49,397	69.7	633	19.7	708.9	32.0	0.6
	4/30/2009	49,307	150.7	90	38.3	327.1	81.0	0.5
	5/31/2009	49,281	272.6	26	80.6	180.8	121.8	0.7
	6/30/2009	49,192	382.6	89	105.0	128.6	110.1	1.0
	7/31/2009	46,498	616.4	2,694	224.5	75.4	233.8	1.0
	8/31/2009	46,485	1,106.8	13	414.0	42.0	490.4	0.8
	9/30/2009	46,426	998.1	59	202.2	46.5	-108.7	
	10/31/2009	47,807	1,443.3	63	333.0	33.1	445.3	0.7
	11/30/2009	47,753	1,486.0	54	81.9	32.1	42.7	1.9
	12/31/2009	47,718	1,426.9	35	37.7	33.4	-59.1	
	1/31/2010	47,715	1,514.4	3	52.0	31.5	87.5	0.6
JCJ03	1/31/2010	47,711	1,514.3			31.5	-0.1	
JCJ03	2/28/2010	47,658	1,564.5	53	79.0	30.5	50.2	1.6
JCJ03	3/31/2010	47,581	1,816.2	77	120.0	26.2	251.7	0.5
Total		802,381	34,194.4	3,889	1,787.9	23.5	1,778.5	0.9
<i>CLE18 WW</i>								
	2/28/2009	50,069	37.7			1,328.0	0.0	
	3/31/2009	49,423	66.8	646	19.7	740.2	29.1	0.7
	4/30/2009	49,279	148.4	144	38.3	332.2	81.6	0.5
	5/31/2009	49,237	300.7	42	80.6	163.7	152.4	0.5
	6/30/2009	49,132	394.4	105	105.0	124.6	93.7	1.1
	7/31/2009	46,433	662.9	2,699	224.5	70.0	268.5	0.8
	8/31/2009	46,400	1,037.9	33	403.0	44.7	375.0	1.1
	9/30/2009	46,355	1,066.0	45	208.7	43.5	28.1	7.4
	10/31/2009	47,157	1,378.7	58	316.8	34.2	312.7	1.0
	11/30/2009	47,119	1,512.1	38	127.3	31.2	133.4	1.0
	12/31/2009	47,086	1,465.9	33	44.6	32.1	-46.2	
	1/31/2010	47,068	1,519.8	18	51.0	31.0	53.8	0.9
JCJ04	1/31/2010	47,067	1,519.7			31.0	0.0	
JCJ04	2/28/2010	47,023	1,655.7	44	79.0	28.4	136.0	0.6
JCJ04	3/31/2010	46,946	1,874.8	77	120.0	25.0	219.1	0.5
Total		849,327	36,069.3	3,982	1,818.5	23.5	1,837.1	1.3

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.

Growth and Survival History - BY2008

<i>SiteID</i>	<i>Date</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Morts</i>	<i>FoodFed</i>	<i>AvgWt</i>	<i>Gain(lbs)</i>	<i>FoodConv.</i>
<i>Grand Total</i>				72,354	35,265.7		35,405.1	1.7
<i>Treatment Averages</i>								
	<i>Treatment</i>	<i>OnHand</i>	<i>Pounds</i>	<i>Fish/Lb</i>				
		47,301	1546.1	30.7				
	HH	48,770	1649.1	29.6				
	WW	47,117	1533.2	30.8				

Note: Some fish were culled in July 2009 to bring pond densities down to criteria/historical maximums. Ponds were treated by flushing or formalin to control ICH and were off feed for about 10 days during September, 2009.