

Run Size Forecast for Klickitat River Adult Spring Chinook, 2008

Prepared by:
Joe Zendt and Bill Bosch
Yakama Nation Fisheries - Yakima Klickitat Fisheries Project
Klickitat Field Office
1575 Horseshoe Bend Road
Klickitat, Washington 98628

November 21, 2007

Acknowledgements

This report would not be possible without all of the hard work of Yakama Nation technicians, biologists, and fish culturists and the cooperation of Washington Department of Fish and Wildlife technicians and biologists associated with the Yakima-Klickitat Fisheries Project. These are the people who read scales, take biological samples, conduct spawning ground surveys, check fish traps, and perform the many other tasks associated with collecting, recording, and reporting all of the data that go into this report. We would like to acknowledge and thank these people for their efforts.

Summary

For 2007 the forecast was for a return of 1,200 adult (age-4 and age-5) spring Chinook to the Klickitat River. The actual return in 2007 was estimated to be 1,100 age-4 and age-5 spring Chinook, with about 60% of the return estimated to be of Klickitat Hatchery origin.

The 1990-2000 regressions were used to project 2008 returns of age-4 and age-5 spring Chinook from 2007 returns of 193 age-3 and 594 age-4 fish, respectively. **This method projects a 2008 return of approximately 1100 adult spring Chinook to the Klickitat River including about 840 age-4 and 260 age-5 fish.** We also reviewed 1984-2003, 1994-2003, and 1990-2003 (excluding 2001) cohort ratio and regression forecast data as possible predictors. Table 1 gives the forecasts from these various methods with the 1990-2000 regression forecast highlighted in **bold**.

Table 1. 2008 Klickitat River Spring Chinook Predictors

	'84-03	R ²	'94-03	R ²	'90-00	R ²	'90-00 & '02-03	R ²
<u>Age-4</u>								
Ratio	1010		810		899		953	
Regression	1202	0.10	1013	0.30	834	0.81	880	0.79
<u>Age-5</u>								
Ratio	347		223		265		265	
Regression	384	0.38	253	0.41	259	0.45	269	0.45
<u>Total</u>								
Ratio	1357		1033		1164		1218	
Regression	1587		1266		1093		1149	

Review of 2007 Klickitat River spring Chinook return

The estimated spring Chinook return to the Klickitat River mouth in 2007 was just over 1,300 fish including approximately 220 jacks and mini-jacks and 1,100 adult spring Chinook (Table 2). Harvest was estimated at 140 spring Chinook (100 adults) in the recreational fishery (Table 3) and 272 fish (264 adults) in the tribal ceremonial and subsistence fishery at Lyle Falls (Table 4). Observed age composition from adults sampled in the sport fishery was assumed to apply to the tribal fishery as well. Escapement to the Klickitat Hatchery was 30 mini-jack, 129 jack, and 445 adult spring Chinook (Table 5). A total of 104 spring Chinook redds were observed in spawning ground surveys in 2007 and the natural spawning escapement was estimated to be 312 fish using an estimate of 3 fish per redd (Table 6). The fish per redd estimate was based on a review of 2002-2004 adult plants and redd observations above Castile Falls as well as a review of 1982-2006 fish per redd data for spring Chinook in the Yakima Basin. Observed age composition for unmarked spring Chinook sampled at the Lyle Falls adult trap was assumed to represent the natural spawner escapement. Although there is some possibility for bias in age composition data from the Lyle Falls adult trap due to size selectivity in the trap catch, the resulting adult age proportions were similar to those seen in a small age sample that was collected from actual natural spawners in 2007. Five-year-old fish comprised a much higher-than-average proportion of the wild adult returns for 2007.

Finally, Table 7 gives brood year productivity estimates for Klickitat spring Chinook for the years 1984 to present. These are the data used to derive the cohort ratio and regression estimates given in Table 1.

Table 2. Klickitat River spring chinook run by return year.

Return Year	Age						<u>Total</u>	Adult <u>Total</u>	1/
	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>				
1977	*		371				904	533	
1978	*		154				1,682	1,528	
1979	*		2,921				3,772	851	
1980	*		955				2,640	1,685	
1981		441	193				3,162	2,528	
1982		236	70				3,544	3,238	
1983		817	173				3,407	2,417	
1984		201	64	489	305	--	1,588	1,323	
1985		152	94				1,094	848	
1986		204	262				1,578	1,112	
1987		341	111				2,134	1,682	
1988 2/		143	273	1,819	2,108	2	4,345	3,929	
1989 3/		291	508	4,486	762	6	6,053	5,254	
1990 4/		795	399	766	1,797	20	3,777	2,583	
1991		1,604	246	973	500	4	3,327	1,477	
1992		736	131	1,000	527	13	2,407	1,540	
1993		923	44	1,640	1,998	64	4,669	3,702	
1994		1,935	78	146	790	22	2,971	958	
1995		1,476	271	465	193	38	2,443	696	
1996		56	113	1,034	117	5	1,325	1,156	
1997		540	52	1,147	704	10	2,453	1,861	
1998		3,193	148	316	333	53	4,043	702	
1999		165	560	523	204	1	1,453	728	
2000 5/		3,730	383	2,450	258	0	6,821	2,708	
2001 5/		5,648	420	531	586	9	7,194	1,126	
2002 5/		3,071	696	2,098	232	0	6,097	2,330	
2003 5/		3,863	615	2,717	1,175	0	8,370	3,892	
2004 5/		313	1,077	2,209	1,362	4	4,965	3,575	
2005 5/		231	129	1,112	83	37	1,592	1,232	
2006 5/		76	140	1,181	406	9	1,813	1,597	
2007 5/		30	193	534	570	0	1,328	1,105	

1/ Adult totals prior to 1988 include some jacks.

2/ Includes 120 (age 3) Carson stock.

3/ Includes 4,121 (age 4) Carson stock.

4/ Includes 1,088 (age 5) Carson stock.

5/ Preliminary.

Table 3. Klickitat River spring chinook sport harvest by return year.

Return Year	Age						<u>Total</u>	Adult <u>Total</u>
	2	3	4	5	6			
1977	0	0					9	9
1978	0	46					312	266
1979	0	31					120	89
1980	0	5					11	6
1981	0	69					221	152
1982	0	45					477	432
1983	0	156	142	141 *			439	283
1984	0	14	218	109 *			341	327
1985	0	50	99	82 *			231	181
1986	0	4	15	9 *			28	24
1987	0	38	151	9 *			198	160
1988 1/	0	29	104	144 *			277	248
1989 2/	0	97	788	43	0		928	831
1990 3/	0	36	107	247	2		392	356
1991	0	36	98	41	0		175	139
1992	0	0	92	31	0		123	123
1993	0	28	145	138	0		311	283
1994	0	0	0	48	3		51	51
1995	0	13	0	0	0		13	0
1996	0	39	124	19	0		182	143
1997	2	9	142	123	5		281	270
1998	0	7	5	5	4		21	14
1999	0	56	50	26	0		132	76
2000	0	222	360	35	0		617	395
2001	0	82	62	62	0		206	124
2002 4/	0	36	151	3	0		190	154
2003 4/	0	157	480	203	0		840	683
2004 4/	0	464	765	371	0		1,600	1,136
2005 4/	0	23	196	0	11		230	207
2006 4/	0	22	184	36	0		242	220
2007 5/	0	40	50	50	0		140	100

1/ Includes 12 (age 3) Carson stock.

2/ Includes 769 (age 4) Carson stock.

3/ Includes 204 (age 5) Carson stock.

4/ Preliminary Catch Record Card estimates.

5/ Preliminary estimate. From J. Hymer email 11/19/07.

* All 6's included in the 5's column.

Table 4. Klickitat River spring chinook tribal harvest by return year.

Return <u>Year</u>	Age					<u>Total</u>	Adult <u>Total</u>
	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>		
1977						86	86 1/
1978		72				712	640
1979						0	0
1980						61	61 1/
1981		78				500	422
1982						1,343	1,343 1/
1983						1,462	1,462 1/
1984						427	427 1/
1985		35				570	535
1986		61				522	461
1987						347	347 1/
1988 2/	0	85	511	594	0	1,190	1,105
1989 3/	0	85	928	24	0	1,037	952
1990 4/	0	113	436	984	9	1,542	1,429
1991	0	93	396	167	0	657	563
1992	0	25	292	168	4	489	464
1993	0	6	480	692	28	1,206	1,200
1994	0	11	16	159	7	193	182
1995	0	4	94	39	7	144	140
1996	0	24	142	23	0	189	165
1997	0	33	88	76	3	200	167
1998	0	31	53	54	28	166	135
1999	0	55	48	27	0	130	75
2000	0	129	977	74	0	1,180	1,051
2001	0	1	170	170	0	341	340
2002	0	45	407	7	0	459	414
2003	0	12	642	341	0	995	983
2004	0	5	384	187	0	576	571
2005 5/	0	18	381	0	25	424	406
2006 5/	0	20	381	74	0	475	455
2007 5/	0	8	132	132	0	272	264

1/ Jacks included.

2/ Includes 38 (age 3) Carson stock.

3/ Includes 763 (age 4) Carson stock.

4/ Includes 563 (age 5) Carson stock.

5/ Preliminary.

Note: Tribal harvest age composition derived from the sport fishery age composition.

Table 5. Klickitat Hatchery spring chinook escapement by return year.

Return Year	Age						Adult Total
	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>Total</u>	
1977	*		371				983 312
1978	*		36				508 472
1979	*		2,890				3,582 692
1980	*		950				2,505 1,555
1981	441	46					2,196 1,709
1982	236	25					1,611 1,350
1983	817	17					1,443 609
1984	201	50	271	196	0	718	467
1985	152	9					214 53
1986	204	197					886 485
1987	341	75					1,279 863
1988 1/	143	109	691	776	1	1,720	1,468 2/
1989 3/	291	228	2,686	486	4	3,695	3,176 4/
1990 5/	795	243	184	388	2	1,612	574
1991	1,604	113	421	113	0	2,251	534
1992	736	102	495	140	0	1,473	635
1993	923	8	945	834	10	2,720	1,789
1994	1,935	58	113	506	10	2,622	629
1995	1,476	221	323	134	27	2,181	484
1996	56	34	520	51	3	664	574
1997	538	6	534	294	1	1,373	829
1998	3,193	62	146	155	12	3,568	313
1999	165	355	337	120	1	978	458
2000	3,530	22	671	75	0	4,298	746
2001	5,648	311	204	146	0	6,309	350
2002 6/	3,071	432	828	36	0	4,367	864
2003 7/	3,863	268	799	285	0	5,215	1,084
2004 7/	313	473	595	453	3	1,837	1,051
2005 8/	231	88	454	39	1	813	494
2006 8/	76	94	475	205	0	850	680
2007 8/	30	129	278	167	0	604	445

1/ Includes 65 (age 3) Carson stock.

2/ Includes 73 adults and 2 jacks of Klickitat stock and 3 jacks of Carson stock distributed to YIN.

3/ Includes 2,559 (age 4) Carson stock.

4/ Includes 39 adult males and 44 jacks of Klickitat stock and 1,001 (age 4) of Carson stock distributed to YIN.

5/ Includes 321 (age 5) Carson stock.

6/ Excludes 165 males, 275 females, and 170 jacks released above Castille Falls.

7/ Excludes 122 males, 440 females, and 98 jacks released above Castille Falls.

8/ Mini jacks assumed to be two year olds.

Table 6. Klickitat River spring chinook natural spawn escapement by return year.

Return Year	Age						Adult	
	2	3	4	5	6	Total	Total	
1977						126	126	
1978						150	150	
1979						70	70	
1980						63	63	
1981						245	245	
1982						113	113	
1983						63	63	
1984						102	102	
1985						79	79	
1986						142	142	
1987						312	312	
1988 1/	0	50	513	594	1	1,158	1,108	
1989 2/	0	98	84	209	2	393	295	
1990 3/	0	7	39	178	7	231	224	
1991	0	4	58	179	4	245	241	
1992	0	4	121	188	9	322	318	
1993	0	2	70	334	26	432	430	
1994	0	9	17	77	2	105	96	
1995	0	33	48	20	4	105	72	
1996	0	16	248	24	2	290	274	
1997	0	4	383	211	1	599	595	
1998	0	48	112	119	9	288	240	
1999	0	94	88	31	0	213	119	
2000	200	10	442	74	0	726	516	
2001	0	26	95	208	9	338	312	
2002 4/	0	183	712	186	0	1,081	898	
2003 5/	0	178	796	346	0	1,320	1,142	
2004 6/	0	135	465	351	1	952	817	
2005 7/	0	0	81	44	0	125	125	
2006 8/	0	4	141	92	9	246	242	
2007 8/	0	16	74	222	0	312	296	

1/ Includes 5 (age 3) Carson Stock. Estimate includes 1,000 fish that spawned below the hatchery.

2/ Includes 30 (age 4) Carson stock.

3/ Includes 0 (age 5) Carson stock.

4/ Includes 165 males, 275 females, and 170 jacks released above Castile Falls.

5/ Includes 122 males, 440 females, and 98 jacks released above Castile Falls.

6/ Includes 195 males, 320 females, and 85 jacks released above Castile Falls.

7/ No biological sampling available. Used Klickitat Hatchery unmarked age comp (only unmarked morts sampled from spawning grounds)

8/ Used Lyle adult trap age sample information and assumed all unmarked fish were wild/natural

Note: Age composition for 1990-1993 derived from scale samples taken from naturally spawning spring chinook. Population estimates are derived using redd counts applied to an expansion formula. Age 2 fish are generally not well sampled during spawner surveys and are probably underrepresented in most years.

Table 7. Productivity (Returns per Age 4/5/6 Spawner) of Klickitat spring chinook by brood year.

Brood Year	Est. Adult Spawners			Estimated Total Returns						R:S
	Hat.	Wild	Total	Age-3	Age-4	Age-5	Age-6	Total	R:S	
1984	467	102	569	111	1819	762	20	2712	4.77	
1985	53	79	132	273	4486	1797	4	6560	49.70	
1986	485	142	627	508	766	500	13	1787	2.85	
1987	863	312	1175	399	973	527	64	1963	1.67	
1988	1468	1108	2576	246	1000	1998	22	3266	1.27	
1989	3176	295	3471	131	1640	790	38	2599	0.75	
1990	574	224	798	44	146	193	5	388	0.49	
1991	534	241	775	78	465	117	10	670	0.86	
1992	635	318	953	271	1034	704	53	2062	2.16	
1993	1789	430	2219	113	1147	333	1	1594	0.72	
1994	629	96	725	52	316	204	0	572	0.79	
1995	484	72	556	148	523	258	9	938	1.69	
1996	574	274	848	560	2450	586	0	3596	4.24	
1997	829	595	1424	383	531	232	0	1146	0.80	
1998	313	240	553	420	2098	1175	4	3697	6.69	
1999	458	119	577	696	2717	1362	37	4812	8.34	
2000	746	516	1262	615	2209	83	9	2916	2.31	
2001	350	312	662	1077	1112	406	0	2595	3.92	
2002	864	898	1762	129	1181	570		1881	1.07	
2003	1084	1142	2226	140	534					
2004	1051	817	1868	193						
2005	494	125	619							
2006	680	242	922							
2007	445	296	741							